

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

**1. (Currently Amended)** A computerized method of bubble messaging comprising:

determining, at a computing device configured to send and receive personalized graphical messages, whether a user of a message editor of the computing device is associated with a subscription to premium message edit settings;

retrieving, at the computing device, one or more particular premium message edit settings when the user is associated with a subscription to the premium message edit settings;

receiving a selection of a message edit action at the computing device, wherein the message edit action is one of a plurality of message edit actions and a first number of the plurality of message edit actions change data associated with personalized graphical messages and a second number of the plurality of message edit actions terminate personalized graphical message editing;

determining, at the computing device, whether the message edit action is associated with one or more lockable personalized graphical message features;

creating a personalized graphical message at the computing device using the message edit action, the personalized graphical message comprising:

message text; and

a graphical message shape specification;

seamlessly sending the personalized graphical message to at least one recipient from the computing device;

~~as a result of the personalized graphical message being sent, displaying a notification of the personalized graphical message;~~

~~in response to recipient interaction with the displayed notification of the personalized graphical message, displaying a graphical message open animation that provides a transition to a shape specified by the graphical message shape specification of the personalized graphical message; and~~

~~displaying the personalized graphical message, the displayed personalized graphical message having the shape specified by the graphical message shape specification of the personalized graphical message.~~

**2. (Currently Amended)** The computerized method of claim 1, wherein:

the personalized graphical message further comprises:

a graphical message iconic shape specification; and

a graphical message open animation specification;

displaying the a notification of the a received personalized graphical message at the computing device comprises displaying a graphical message iconic shape specified by the a graphical message iconic shape specification of the received personalized graphical message; and

displaying the a graphical message open animation at the computing device comprises displaying the graphical message open animation specified by the a graphical message open animation specification of the received personalized graphical message.

**3. (Currently Amended)** The computerized method of claim [[1]] 2, wherein:

the received personalized graphical message further comprises a sender icon; and

displaying the received personalized graphical message comprises displaying the sender icon of the personalized graphical message.

**4. (Currently Amended)** The computerized method of claim [[1]] 2, wherein the graphical message shape specification comprises:

a shape identifier;

shape dimensions; and

a shape color scheme.

**5. (Original)** The computerized method of claim 1, wherein creating the personalized graphical message comprises performing at least one graphical message edit action as a result of at least one user interaction with a bubble message edit graphical user interface component.

**6. (Original)** The computerized method of claim 1, wherein seamlessly sending the personalized graphical message to at least one recipient comprises sending the personalized graphical message to at least one recipient as a result of at least one user interaction with a bubble message edit graphical user interface component.

**7. (Currently Amended)** The computerized method of claim 1, wherein seamlessly sending the personalized graphical message to at least one recipient comprises:

storing the personalized graphical message in a message store; and  
sending said at least one recipient ~~the~~ a notification of the personalized graphical message.

**8. (Currently Amended)** The computerized method of claim [[1]]\_2, wherein:

the a\_shape specified by the graphical message shape specification comprises a bubble shape; and

the graphical message open animation comprises visually inflating the bubble shape.

**9. (Currently Amended)** The computerized method of claim [[1]]\_2, wherein:

the a\_shape specified by the graphical message shape specification comprises a bubble shape;

displaying the notification of the received\_personalized graphical message comprises displaying an iconic form of the bubble shape; and

the graphical message open animation comprises visually inflating from the iconic form of the bubble shape to the bubble shape.

**10. (Currently Amended)** The computerized method of claim [[1]]\_2, wherein:

displaying the notification of the received\_personalized graphical message comprises displaying a wrapped gift; and

the graphical message open animation comprises visually unwrapping the wrapped gift.

**11. (Original)** The computerized method of claim 1, wherein:

a graphical user interface icon is associated with said at least one recipient; and

creating the personalized graphical message occurs as a result of at least one user interaction with the graphical user interface icon associated with said at least one recipient.

**12. (Currently Amended)** The computerized method of claim ~~[[1]]~~ 2, wherein:

a graphical user interface icon is associated with said at least one recipient; and

displaying the notification of the received personalized graphical message comprises displaying the notification of the received personalized graphical message in proximity to the graphical user interface icon associated with said at least one recipient.

**13. (Original)** The computerized method of claim 1, wherein creating the personalized graphical message comprises retrieving at least one default setting.

**14. (Original)** The computerized method of claim 13, wherein retrieving said at least one default setting comprises retrieving at least one remote default setting.

**15. (Currently Amended)** The computerized method of claim 1, further comprising:

selecting, at the computing device, a number of message edit settings in a constrained random manner from a set of message edit settings; and

providing the number of message edit settings to the user of the message editor at the computing device.

**16. (Previously Presented)** The computerized method of claim 15, wherein selecting a number of message edit settings in a constrained random manner includes utilizing an aesthetically determined constraint.

**17. (Original)** The computerized method of claim 1, wherein the personalized graphical message is unmodifiable after creation.

**18. (Currently Amended)** The computerized method of claim [[1]] 2, wherein displaying the received personalized graphical message comprises verifying that the received personalized graphical message complies with at least one bubble message feature policy.

**19. (Currently Amended)** The computerized method of claim 18, wherein said at least one bubble message feature policy comprises a bubble message feature policy inhibiting modification of the received personalized graphical message.

**20. (Original)** A computer-readable medium having thereon computer-executable instructions for performing the method of claim 1.

**21. (Currently Amended)** A computer-readable medium having thereon computer-executable instructions for communicating in a bubble messaging mode of communication comprising:

providing a display of new bubble message notifications, wherein each new bubble message notification is related to a respective bubble message and each respective bubble message includes bubble message text and a bubble message shape notification;



~~receiving selections of a number of the new bubble message notifications above a specified threshold;~~

determining whether a number of selected new bubble message notifications meets a specified threshold;

providing a new bubble message chooser display in response to determining that the number of selected new bubble message notifications meets the specified threshold ~~after receiving the selections~~, the new bubble message chooser display including details corresponding to the number of new bubble message notifications;

adding one or more of the number of new bubble message notifications in the new bubble message chooser display to a bubble message display list in response to user interaction with the one or more new bubble message notifications in the new bubble message chooser;

automatically adding each of the selected new bubble message display notifications to the bubble message display list in response to determining that the number of selected new bubble message notifications is less than the specified threshold; and

in response to user interaction with each of the one or more of the number of new bubble message notifications, displaying, for each of the one or more of the number of new bubble message notifications:

a bubble message open animation transitioning to a bubble message shape specified by the bubble message shape specification of ~~the~~ a respective bubble message; and

the respective bubble message, the respective bubble message having the bubble message shape specified by the bubble message shape specification of the respective bubble message.

**22. (Previously Presented)** The computer-readable medium of claim 21, wherein:

each respective bubble message further comprises a sender icon identifier; and

displaying the respective bubble message comprises displaying a sender icon identified by the sender icon identifier of the respective bubble message.

**23. (Original)** The computer-readable medium of claim 21, wherein the bubble message shape specification comprises:

a shape identifier;  
shape dimensions; and  
a shape color scheme.

**24. (Previously Presented)** The computer-readable medium of claim 21, wherein each respective bubble message is unmodifiable.

**25. (Previously Presented)** The computer-readable medium of claim 21, wherein displaying the respective bubble message comprises verifying that the respective bubble message complies with at least one bubble message feature policy.

**26. (Previously Presented)** The computer-readable medium of claim 25, wherein said at least one bubble message feature policy comprises a bubble message feature policy inhibiting modification of the respective bubble message.

**27. (Currently Amended)** A computerized system, comprising a processing unit and a bubble message editor, the bubble message editor configured to perform acts comprising:

receive receiving a selection of a message edit action, wherein the message edit action is one of a plurality of message edit actions and a first number of the plurality of message edit actions change data associated with bubble messages and a second number of the plurality of message edit actions terminate bubble message editing;

determining whether the message edit action is associated with one or more lockable bubble message features;

~~determine that the message edit action is locked;~~

determining that a lockable bubble message feature of the message edit action is a locked bubble message feature;

~~provide~~ providing an indication that the ~~message edit action~~ lockable bubble message feature is locked;

providing an option to purchase bubble message feature unlock keys to unlock the lockable bubble message feature;

~~receive~~ receiving input related to unlocking the ~~message edit action~~ lockable bubble message feature;

create creating a personalized graphical message with the message edit action after the ~~message edit action~~ the lockable bubble message feature is unlocked, the created personalized graphical message comprising:

message text; and

a graphical message shape specification, the graphical message shape specification specifying a shape of the created personalized graphical message when displayed to which a graphical message open animation provides a transition in response to recipient interaction with a displayed notification of the created personalized graphical message; and

seamlessly ~~send~~ sending the created personalized graphical message to at least one recipient.

**28. (Original)** The computerized system of claim 27, wherein:  
the created personalized graphical message further comprises a sender icon identifier; and

displaying the created personalized graphical message comprises displaying a sender icon identified by the sender icon identifier of the created personalized graphical message.

**29. (Original)** The computerized system of claim 27, wherein the graphical message shape specification of the created personalized graphical message comprises:

a shape identifier;  
shape dimensions; and  
a shape color scheme.

**30. (Original)** The computerized system of claim 27, wherein the created personalized graphical message is unmodifiable after creation.

**31. (Original)** The computerized system of claim 27, wherein displaying the created personalized graphical message comprises verifying that the created personalized graphical message complies with at least one bubble message feature policy.

**32. (Original)** The computerized system of claim 31, wherein said at least one bubble message feature policy comprises a bubble message feature policy inhibiting modification of the created personalized graphical message.

**33. (Currently Amended)** A computerized system, comprising a processing unit and a bubble message viewer, the bubble message viewer configured to perform acts comprising:

~~display~~ displaying, in response to user interaction with a displayed notification of a received personalized graphical message, a graphical message open animation that provides a transition to a shape specified by a graphical message shape specification of the received personalized graphical message, the received personalized graphical message comprising:

message text; and

the graphical message shape specification;

~~display~~ displaying the received personalized graphical message, the received personalized graphical message when displayed having the shape

specified by the graphical message shape specification of the received personalized graphical message; and

~~display~~ displaying a bubble graphical message close animation that is related to the ~~bubble graphical message~~ open animation, and wherein the graphical message open animation and the graphical message close animation are related to a shape of the graphical message.

**34. (Original)** The computerized system of claim 33, wherein:

the received personalized graphical message further comprises a sender icon identifier; and

displaying the received personalized graphical message comprises displaying a sender icon identified by the sender icon identifier of the received personalized graphical message.

**35. (Original)** The computerized system of claim 33, wherein the graphical message shape specification of the received personalized graphical message comprises:

a shape identifier;

shape dimensions; and

a shape color scheme.

**36. (Original)** The computerized system of claim 33, wherein the received personalized graphical message is unmodifiable.

**37. (Original)** The computerized system of claim 33, wherein displaying the received personalized graphical message comprises verifying that the received personalized graphical message complies with at least one bubble message feature policy.

**38. (Original)** The computerized system of claim 37, wherein said at least one bubble message feature policy comprises a bubble message feature policy inhibiting modification of the received personalized graphical message.

**39. (Currently Amended)** One or more computer-readable media comprising:

a bubble message data structure, wherein the bubble message data structure comprises bubble message version data; bubble message identification data; bubble message sender data; bubble message shape data, the bubble message shape data comprising a bubble message shape specification; and bubble message body data, the bubble message body data comprising bubble message text; and

instructions executable by a computer to implement acts comprising:



displaying a bubble message open animation in response to user interaction with a displayed bubble message notification, the bubble message open animation providing a transition to a shape specified by the bubble message shape specification; ~~and~~

displaying a bubble message close animation in response to user interaction with a bubble message view close action; and

creating a graphical message with premium message edit settings associated with a valid subscription to the premium message edit settings.

**40. (Original)** The computer-readable medium of claim 39, wherein: the bubble message sender data comprises a sender icon identifier; and displaying the bubble message comprises displaying a sender icon identified by the sender icon identifier of the bubble message sender data.

**41. (Original)** The computer-readable medium of claim 39, wherein the bubble message shape specification of the bubble message shape data comprises:

a shape identifier;

shape dimensions; and

a shape color scheme.

**42. (Original)** The computer-readable medium of claim 39, wherein the bubble message is capable of being marked unmodifiable.

**43. (Original)** The computer-readable medium of claim 39, wherein displaying the bubble message comprises verifying that the bubble message complies with at least one bubble message feature policy.

**44. (Original)** The computer-readable medium of claim 43, wherein said at least one bubble message feature policy comprises a bubble message feature policy inhibiting modification of the bubble message.